

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49	("5446877" "5802398" "4580242" "4805501" "4972316" "4300174" "4870514" "5270632" "5457791" "5471561" "6249824" "4757406" "5255383" "5905888" "6128717" "4890174" "5253129" "5740358" "5778418" "5826093" "5987400" "5995312" "6016530" "6128698" "5198942" "5237675" "5485321" "5507650" "5604662" "5625840" "5671439" "5799140" "5872955" "5887145" "5887128" "5907445" "5913926" "5978954" "6018778" "6046877" "6058604" "6058604" "6092154" "6098120" "6112276" "6134610" "6151659" "6177790" "6212651" "6219750").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:40
L2	1	critical adj (data or event) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:48
L3	6	((boot adj up) or boot-up or (start adj up) or start-up) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:52
L4	1472	((boot adj up) or boot-up or (start adj up) or start-up or initializ\$3) with (HDD or (hard adj drive) or (hard adj disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 17:06
L5	33108	((boot adj up) or boot-up or (start adj up) or start-up or initializ\$3) with (host or cpu or computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:56
L6	827	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:56
L7	337	flash and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:57
L8	1	(past near data) near3 record and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 15:58
L9	261	@ad<"20031204" and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:49

EAST Search History

L10	3	rotatable and control near (mechanism or system) and receiv\$3 near2 signal and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:33
L11	6	rotatable and control and (receiv\$3 near2 signal) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:38
L12	3	11 not 10	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:33
L13	749	((boot adj up) or boot-up or (start adj up) or start-up or initializ\$3) near5 (HDD or (hard adj drive) or (hard adj disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:48
L14	13	rotatable and control and (receiv\$3 near2 signal) and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 17:03
L15	105	(disk adj drive) and servo and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:54
L16	87	@ad<"20031204" and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:55
L17	24	(disk adj drive) and (data or metadata) near3 flash and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 16:55
L18	19	@ad<"20031204" and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 17:05
L19	816	(disk adj drive) and rotatable and control and (receiv\$3 near2 signal) and servo	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 17:04
L20	710	@ad<"20031204" and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 17:05

EAST Search History

L21	65	5 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 17:14
L22	1	("6789132").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 17:30
L23	1	("20050125601").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/11 18:54
L24	1	record\$3 near3 (past adj data) with most adj recent	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 18:56
L25	2	((past adj data) near3 request) with (most adj recent)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 19:00
L26	5	(find or identify\$3 or figur\$3) near5 (most adj often near (requested or used)) near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/11 19:03